

# WORLD INTELLECTUAL PROPERTY ORGANIZATION

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

**A2** 

(11) International Publication Number:

WO 98/28268

C07D

(43) International Publication Date:

2 July 1998 (02.07.98)

(21) International Application Number:

PCT/US97/22986

(22) International Filing Date:

22 December 1997 (22.12.97)

(30) Priority Data:

08/780,025

23 December 1996 (23.12.96)

(71) Applicants (for all designated States except US): ATHENA NEUROSCIENCES, INC. [US/US]; 800 Gateway Boulevard, South San Francisco, CA 94080 (US). ELI LILLY & COMPANY [US/US]; Lilly Corporate Center, Indianapolis, IN 46285 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): WU, Jing [CN/US]; Apartment 502, 10 De Sabla Road, San Mateo, CA 94402 (US). TUNG, Jay, S. [US/US]; 2224 Semeria Avenue, Belmont, CA 94002 (US). THORSETT, Eugene, D. [US/US]; 571 Buena Vista Street, Moss Beach, CA 94038 (US). PLEISS, Michael, A. [US/US]; 848 Stella Court, Sunnyvale, CA 94087 (US). NISSEN, Jeffrey, S. [US/US]; 4348 Oil Creek Drive, Indianapolis, IN 46268 (US). NEITZ, Jeffrey [US/US]; Apartment 102, 3215 Clement Street, San Francisco, CA 94121 (US). LATIMER, Lee, H. [US/US]; 56 Sheridan Road, Oakland, CA 94618 (US). JOHN, Varghese [US/US]; 1722 18th Avenue, San Francisco, CA 94122

(US). FREEDMAN, Stephen [GB/US]; 2189 Ridgepoint Court, Walnut Creek, CA 94596 (US). BRITTON, Thomas, C. [US/US]; 4700 Royal Oak Lane, Carmel, IN 46033 (US). AUDIA, James, E. [US/US]; 6449 Lakeside Woods Circle, Indianapolis, IN 46278 (US). REEL, Jon, K. [US/US]; 14701 Alsong Court, Carmel, IN 46032 (US). MABRY, Thomas, E. [US/US]; 8104 Hi-Vu Drive, Indianapolis, IN 46227 (US). DRESSMAN, Bruce, A. [US/US]; 1430 N. New Jersey, Indianapolis, IN 46202 (US). CWI, Cynthia, L. [US/US]; 8918 Carriage Lane, Indianapolis, IN 46256 (US). DROSTE, James, J. [US/US]; 7430 Wood Stream Drive, Indianapolis, IN 46254 (US). HENRY, Steven, S. [US/US]; 3362 South Southway Drive, New Palestine, IN 46163 (US). MCDANIEL, Stacey, L. [US/US]; 4136 Heritage Way, Bloomington, IN 47403 (US). SCOTT, William. Leonard [US/US]; 144 Buckingham Drive, Indianapolis, IN 46208 (US). STUCKY, Russell, D. [US/US]; 6045 Barth Avenue, Indianapolis, IN 46227 (US). PORTER, Warren, J. [US/US]; 8037 Lieber Road, Indianapolis, IN 46260 (US).

- (74) Agents: SWISS, Gerald, F. et al.; Burns, Doane, Swecker & Mathis, L.L.P., P.O. Box 1404, Alexandria, VA 22313-1404 (US).
- (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

#### **Published**

Without international search report and to be republished upon receipt of that report.

(54) Title: CYCLOALKYL, LACTAM, LACTONE AND RELATED COMPOUNDS, PHARMACEUTICAL COMPOSITIONS COM-PRISING SAME, AND METHODS FOR INHIBITING eta-AMYLOID PEPTIDE RELEASE AND/OR ITS SYNTHESIS BY USE OF SUCH COMPOUNDS

#### (57) Abstract

Disclosed are compounds which inhibit  $\beta$ -amyloid peptide release and/or its synthesis, and, accordingly, have utility in treating Alzheimer's disease. Also disclosed are pharmaceutical compositions comprising a compound which inhibits  $\beta$ -amyloid peptide release and/or its synthesis as well as methods for treating Alzheimer's disease both prophylactically and therapeutically with such pharmaceutical compositions.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	Prance	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	ľT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG ·	Singapore		

# CYCLOALKYL, LACTAM, LACTONE AND RELATED COMPOUNDS, PHARMACEUTICAL COMPOSITIONS COMPRISING SAME, AND METHODS FOR INHIBITING $\beta$ -AMYLOID PEPTIDE RELEASE AND/OR ITS SYNTHESIS BY USE OF SUCH COMPOUNDS

## CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of U.S. Provisional Application No. 60/064,851 which was converted pursuant to 37 C.F.R. § 1.53(b)(2)(ii) from U.S. Patent Application No. 08/780,025, filed December 23, 1996.

### Field of the Invention

This invention relates to compounds which inhibit  $\beta$ -amyloid peptide release and/or its synthesis, and, accordingly, have utility in treating Alzheimer's disease.

5

#### References

The following publications, patents and patent applications are cited in this application as superscript numbers:

10	1	Glenner, et al., <i>Biochem. Biophys. Res. Commun.</i> , <u>120</u> :885-890 (1984)
	2	U.S. Patent No. 4,666,829
15	3	Selkoe, Neuron, 6:487-498 (1991)
	4	Goate, et al., Nature, 349:704-706 (1990)
20	5	Chartier Harlan, et al., Nature, 353:844-846 (1989)
20	6	Murrell, et al., Science, 254:97-99 (1991)

	7	Mullan, et al., Nature Genet., 1:345-347 (1992)
5	8	Schenk, et al., International Patent Application Publication No. WO 94/10569, "Methods and Compositions for the Detection of Soluble $\beta$ -Amyloid Peptide", published 11 May 1994
	9	Selkoe, Scientific American, "Amyloid Protein and Alzheimer's Disease", pp. 2-8, November, 1991
10	10	Tetrahedron Letters, 34(48), 7685 (1993)
	11	Losse, et al., Tetrahedron, 27:1423-1434 (1971)
1.5	12	Citron, et al., Nature, 360:672-674 (1992)
15	13	Hansen, et al., J. Immun. Meth., 119:203-210 (1989)
	14	U.S. Patent No. 3,598,859
20	15	Ogliaruso and Wolfe, Synthesis of Lactones and Lactams, Patai, et al. Editor, J. Wiley & Sons, New York, New York, USA, pp. 1085 et seq. (1993).
25	16	Ugi, et al., Tetrahedron, 52(35):11657-11664 (1996)
25	17	Blade-Font, Tetrahedron Lett., 21:2443 (1980).
	18	Freidinger, et al., J. Org. Chem., 47:104-109 (1982)
30	19	Semple, et al., J. Med. Chem., 39:4531-4536 (1996).
	20	Holladay, et al., J. Org. Chem., <u>56</u> :3900-3905 (1991).
35	21	Donaruma, et al., Organic Reactions, 11:1-156 (1960)
33	22	Wolff, Organic Reactions, <u>3</u> :307-336 (1946)
	23	Krow, et al., J. Org. Chem., 61:5574-5580 (1996)
40	24	Tetrahedron, <u>35</u> :2433 (1979)
	25	Gracias, et al., J. Am. Chem. Soc., 117:8047-8048 (1995)
45	26	Milligan, et al., J. Am. Chem. Soc., 117:10449-10459 (1995)
TJ	27	Miller, et al., J. Am. Chem. Soc., 118:9606-9614 (1996)

	28	March, Advanced Organic Chemistry, Reaction Mechanisms and Structure, 2nd Edition, McGraw-Hill Book Company, New York, New York, USA (1977)
5	29	Colombo, et al., Tetrahedron Lett., 35(23):4031-4034 (1994)
	30	Rogriguez, et al., Tetrahedron, <u>52</u> :7727-7736 (1996)
10	31	Parsons, et al., Biochem. Biophys. Res. Comm., <u>117</u> :108-113 (1983)
	32	Watthey, et al., J. Med. Chem., 28:1511-1516 (1985)
1.5	33	Armstrong, et al., Tetrahedron Lett., 35:3239 (1994)
15	34	King, et al., J. Org. Chem., 58:3384 (1993).
	35	Hu, et al., Tetrahedron Lett., 36(21):3659-3662 (1995).
20	36	Wada, et al., Bull. Chem. Soc. Japan, 46:2833-2835 (1973)
	37	Gaetzi, Chem. Abs., 66:28690m
0.5	38	Wheeler, et al., Organic Syntheses, Coll. Vol. VI, p. 840
25	39	J. Med. Chem., 28(12):1886 (1985)
	40	Brenner, et al., U.S. Patent No. 2,938,029
30	41 .	Evans, et al., J. Am. Chem. Soc., 112:4011-4030 (1990)
	42	Micouin, et al., Tetrahedron, 52:7719-7726 (1996)
25	43	Butcher, et al., Tetrahedron Lett., 37(37):6685-6688 (1996)
35	44 .	M.L. Reupple, et al., J. Am. Chem. Soc., 93:7021 et seq. (1971)
	45	P.A.S. Smith, Organic Reactions, 3:337-449 (1946)
40	46	K. Orito, et al., Tetrahedron, 36:1017-1021 (1980)
	47	Krimm, Chem. Ber., 91:1057 (1958)
4.5	48	Suda, et al., J. Chem. Soc. Chem Comm., 949-950, (1994)
45	49	Barton, et al., J. Chem. Soc., 1764-1767 (1975)

		50	Kitagawa, et al., J. Am. Chem. Soc., 117:5169-5178 (1975)
		51	Akhatar, et al., J. Org. Chem., 55:5222-5225 (1990)
	5	52	Nedenskov, et al., Acta Chem. Scand., 12:1405-1410 (1958)
		53	Sakakida, et al., Bull. Chem. Soc. Japan, 44:478-480 (1971)
	10	54	Hoffman, et al., Tet. Lett., 30:4207-4210 (1989)
	10	55	Vedejs, et al., Tet. Lett., 33:3261-3264 (1992)
		56	van der Steen, et al., Tetrahedron, 47, 7503-7524 (1991)
	15	57	Hart, et al., Chem Rev., 89:1447-1465 (1989)
		58	Lowe, et al., Bioorg. Med. Chem. Lett., 4:2877-2882 (1994)
	20	59	McKennis, Jr., et al., J. Org. Chem., 28:383-387 (1963)
	20	60	Shirota, et al., J. Med. Chem., 20:1623-1627 (1977)
		61	Overberger, et al., J. Am. Chem. Soc., 85:3431 (1963)
	25	62	Herschmann, Helv. Chim. Acta, 32:2537 (1949)
		63	Overberger, et al., Macromolecules, 1:1 (1968)
	30	64	Busacca, et al., Tet. Lett., 33:165-168 (1992)
	30	65	Croisier, et al., U.S. Patent No. 4,080,449
		66	J.A. Robl, et al., Tetrahedron Lett., 36(10):1593-1596 (1995)
	35	67	Flynn, et al., J. Med. Chem., 36:2420-2423 (1993)
		68	Orito, et al., Tetrahedron, 36:1017-1021 (1980)
	40	69	Kawase, et al., J. Org. Chem., 54:3394-3403 (1989)
•	40	70	Lowe, et al., J. Med. Chem., 37:3789-3811 (1994)
	·	71	Robl, et al., Bioorg. Med. Chem. Lett., 4:1789-1794 (1994)
	45	72	Skiles, et al., Bioorg. Med. Chem. Lett., <u>3</u> :773-778 (1993)
			•

	73	Grunewald, et al., J. Med. Chem., 39(18):3539 (1996)
	74	Thomas, et al., J. Chem. Soc., Perkin II, 747 (1986)
5	75	Warshawsky, et al., <i>Bioorg. Med. Chem. Lett.</i> , <u>6</u> :957-962 (1996)
	76	Ben-Ishai, et al., Tetrahedron, 43:439-450 (1987)
10	77	van Niel et al., Bioorg. Med. Chem. Lett., 5:1421-1426 (1995)
10	78	Kawase, et al., J. Org. Chem., 54:3394-3403 (1989)
·	79	Edwards, et al., Can. J. Chem., 49:1648-1658 (1971)
15	80	Milligan, et al., J. Am. Chem. Soc., 117:10449-10459 (1995)
	81	Curran et al., Tet. Lett., 36:191-194 (1995)
20	82	Slusarchyk, et al., Bioorg. Med. Chem. Lett., 5:753-758 (1995)
	83	Wyvratt, et al., Eur. Pat. Appl. 61187 (1982)
	84	Cornille, et al., J. Am. Chem. Soc., 117:909-917 (1995)
25	85	Kolc, Coll. Czech. Chem. Comm., 34:630 (1969)
	86	Dickerman, et al., J. Org. Chem., 14:530 (1949)
30	87	Dickerman, et al., J. Org. Chem., 20:206 (1955)
50	88	Dickerman, et al., J. Org. Chem., 19:1855 (1954)
	89	Hoffman, et al., J. Org. Chem., 27:3565 (1962)
35	90	Wasserman, et al., J. Am. Chem. Soc., 103:461-2 (1981)
	91	Crombie, et al., Tetrahedron Lett., 27(42):5151-5154 (1986)
40	92	Yokoo, et al., Bull, Chem. Soc. Jap., 29:631 (1956)
40	93	Burkholder, et al., Biog. Med. Chem. Lett., 2:231 (1993)
. •	94	Karanewsky, U.S. Patent No. 4,460,579
45	95	Kametani, et al., <i>Heterocycles</i> , <u>9</u> :831-840 (1978)

- <sup>96</sup> Yanganasawa, et al., *J. Med. Chem.*, <u>30</u>:1984-1991 (1987)
- <sup>97</sup> J. Das et al., *Biorg. Med. Chem. Lett.*, 4:2193-2198 (1994)

All of the above publications, patents and patent applications are herein incorporated by reference in their entirety to the same extent as if each individual publication, patent or patent application was specifically and individually indicated to be incorporated by reference in its entirety.

10

15

20

#### State of the Art

Alzheimer's Disease (AD) is a degenerative brain disorder characterized clinically by progressive loss of memory, cognition, reasoning, judgment and emotional stability that gradually leads to profound mental deterioration and ultimately death. AD is a very common cause of progressive mental failure (dementia) in aged humans and is believed to represent the fourth most common medical cause of death in the United States. AD has been observed in races and ethnic groups worldwide and presents a major present and future public health problem. The disease is currently estimated to affect about two to three million individuals in the United States alone. AD is at present incurable. No treatment that effectively prevents AD or reverses its symptoms and course is currently known.

25

30

The brains of individuals with AD exhibit characteristic lesions termed senile (or amyloid) plaques, amyloid angiopathy (amyloid deposits in blood vessels) and neurofibrillary tangles. Large numbers of these lesions, particularly amyloid plaques and neurofibrillary tangles, are generally found in several areas of the human brain important for memory and cognitive function in patients with AD. Smaller numbers of these lesions in a more restrictive anatomical distribution are also found in the brains of most aged humans who do not have clinical AD. Amyloid plaques and amyloid angiopathy also characterize the brains of individuals with Trisomy 21 (Down's Syndrome) and Hereditary Cerebral Hemorrhage with Amyloidosis of the Dutch Type

(HCHWA-D). At present, a definitive diagnosis of AD usually requires observing the aforementioned lesions in the brain tissue of patients who have died with the disease or, rarely, in small biopsied samples of brain tissue taken during an invasive neurosurgical procedure.

5

The principal chemical constituent of the amyloid plaques and vascular amyloid deposits (amyloid angiopathy) characteristic of AD and the other disorders mentioned above is an approximately 4.2 kilodalton (kD) protein of about 39-43 amino acids designated the  $\beta$ -amyloid peptide ( $\beta$ AP) or sometimes A $\beta$ , A $\beta$ P or  $\beta$ /A4.  $\beta$ -Amyloid peptide was first purified and a partial amino acid sequence was provided by Glenner, et al. The isolation procedure and the sequence data for the first 28 amino acids are described in U.S. Patent No. 4,666,829<sup>2</sup>.

15

20

10

Molecular biological and protein chemical analyses have shown that the  $\beta$ -amyloid peptide is a small fragment of a much larger precursor protein termed the amyloid precursor protein (APP), that is normally produced by cells in many tissues of various animals, including humans. Knowledge of the structure of the gene encoding APP has demonstrated that  $\beta$ -amyloid peptide arises as a peptide fragment that is cleaved from APP by protease enzyme(s). The precise biochemical mechanism by which the  $\beta$ -amyloid peptide fragment is cleaved from APP and subsequently deposited as amyloid plaques in the cerebral tissue and in the walls of the cerebral and meningeal blood vessels is currently unknown.

25

30

Several lines of evidence indicate that progressive cerebral deposition of  $\beta$ -amyloid peptide plays a seminal role in the pathogenesis of AD and can precede cognitive symptoms by years or decades. See, for example, Selkoe<sup>3</sup>. The most important line of evidence is the discovery that missense DNA mutations at amino acid 717 of the 770-amino acid isoform of APP can be found in affected members but not unaffected members of several families with

a genetically determined (familial) form of AD (Goate, et al.<sup>4</sup>; Chartier Harlan, et al.<sup>5</sup>; and Murrell, et al.<sup>6</sup>) and is referred to as the Swedish variant. A double mutation changing lysine<sup>595</sup>-methionine<sup>596</sup> to asparagine<sup>595</sup>-leucine<sup>596</sup> (with reference to the 695 isoform) found in a Swedish family was reported in 1992 (Mullan, et al.<sup>7</sup>). Genetic linkage analyses have demonstrated that these mutations, as well as certain other mutations in the APP gene, are the specific molecular cause of AD in the affected members of such families. In addition, a mutation at amino acid 693 of the 770-amino acid isoform of APP has been identified as the cause of the  $\beta$ -amyloid peptide deposition disease, HCHWA-D, and a change from alanine to glycine at amino acid 692 appears to cause a phenotype that resembles AD is some patients but HCHWA-D in others. The discovery of these and other mutations in APP in genetically based cases of AD prove that alteration of APP and subsequent deposition of its  $\beta$ -amyloid peptide fragment can cause AD.

15

5

10

Despite the progress which has been made in understanding the underlying mechanisms of AD and other  $\beta$ -amyloid peptide related diseases, there remains a need to develop methods and compositions for treatment of the disease(s). Ideally, the treatment methods would advantageously be based on drugs which are capable of inhibiting  $\beta$ -amyloid peptide release and/or its synthesis *in vivo*.

#### SUMMARY OF THE INVENTION

25

30

20

This invention is directed to the discovery of a class of compounds which inhibit  $\beta$ -amyloid peptide release and/or its synthesis and, therefore, are useful in the prevention of AD in patients susceptible to AD and/or in the treatment of patients with AD in order to inhibit further deterioration in their condition. The class of compounds having the described properties are defined by formula I below:

Ι

$$R^{1} \stackrel{Z}{\longleftarrow} NH \stackrel{Y}{\longleftarrow} C(H)_{p}$$

15

20

25

30

35

wherein R<sup>1</sup> is selected from the group consisting of alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, substituted alkyl, substituted alkenyl, substituted alkynyl, substituted cycloalkyl, substituted cycloalkenyl, aryl, heteroaryl and heterocyclic;

W, together with  $-C(H)_{n}C(=X)$ -, forms a cycloalkyl, cycloalkenyl, heterocyclic, substituted cycloalkyl, or substituted cycloalkenyl group wherein each of said cycloalkyl, cycloalkenyl, heterocyclic, substituted cycloalkyl or substituted cycloalkenyl group is optionally fused to form a bi- or multi-fused ring system (preferably no more than 5 fused rings) with one or more ring structures selected from the group consisting of cycloalkyl, cycloalkenyl, heterocyclic, aryl and heteroaryl group which, in turn, each of such ring structures are optionally substituted with 1 to 4 substituents selected from the group consisting of hydroxyl, halo, alkoxy, substituted alkoxy, thioalkoxy, substituted thioalkoxy, nitro, cyano, carboxyl, carboxyl esters, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, amino, Nalkylamino, N,N-dialkylamino, N-substituted alkylamino, N-alkyl N-substituted alkylamino, N,N-disubstituted alkylamino, -NHC(O)R<sup>4</sup>, -NHSO<sub>2</sub>R<sup>4</sup>, -C(O)NH<sub>2</sub>,  $-C(O)NHR^4$ ,  $-C(O)NR^4R^4$ ,  $-S(O)R^4$ ,  $-S(O)_2R^4$ ,  $-S(O)_2NHR^4$  and  $-S(O)_2NR^4R^4$ where each R<sup>4</sup> is independently selected from the group consisting of alkyl, substituted alkyl, or aryl;

X is selected from the group consisting of oxo (=O), thiooxo (=S), hydroxyl (-H, -OH), thiol (H,-SH) and hydro (H,H);

25

30

Y is represented by the formula:

wherein each R<sup>2</sup> is independently selected from the group consisting of alkyl, substituted alkyl, alkenyl, substituted alkynyl, substituted alkynyl, cycloalkyl, aryl, heteroaryl and heterocyclic;

Z is represented by the formula -T-CX'X"C(O)- where T is selected from the group consisting of a bond covalently linking R<sup>1</sup> to -CX'X"-, oxygen, sulfur, -NR<sup>5</sup> where R<sup>5</sup> is hydrogen, acyl, alkyl, aryl or heteroaryl group;

X' is hydrogen, hydroxy or fluoro,

X'' is hydrogen, hydroxy or fluoro, or X' and X'' together form an oxo group;

m is an integer equal to 0 or 1;

n is an integer equal to 0, 1 or 2;

p is an integer equal to 0 or 1 such that when p is zero, the ring defined by W and  $-C(H)_pC(=X)$ - is unsaturated at the carbon atom of ring attachment to Y and when p is one, the ring is saturated at the carbon atom of ring attachment to Y,

with the following provisos:

A. when  $R^1$  is 3,5-difluorophenyl,  $R^2$  is -CH<sub>3</sub>, Z is -CH<sub>2</sub>C(O)-, m is 1, n is 1, and p is 1, then W, together with >CH and >C=X, does not form a 2-(S)-indanol group;


10

20

25

- B. when  $R^1$  is phenyl,  $R^2$  is  $-CH_3$ , Z is  $-CH_2C(O)$ -, m is 1, n is 1, and p is 1, then W, together with >CH and >C=X, does not form a trans-2-hydroxy-cyclohex-1-yl group;
- C. when  $R^1$  is phenyl, Z is  $-CH_2C(O)$ -, m is 1, n is 0, and p is 1, then W, together with >CH and >C=X, does not form a gamma-butyrolactone group or a 5,5-dimethyl-gamma-butyrolactone group;
  - D. when R<sup>1</sup> is phenyl, Z is -CH<sub>2</sub>C(O)-, m is 1, n is 0, and p is 1, then W, together with >CH and >C=X, does not form a  $\epsilon$ -caprolactam group;
- E. when  $R^1$  is cyclopropyl,  $R^2$  is  $-CH_3$ , Z is  $-CH_2C(O)$ -, m is 1, n is 1, and p is 1, then W, together with >CH and >C=X, does not form an N-methylcaprolactam group;
  - F. when  $R^1$  is 4-chlorobenzoyl- $CH_{2^-}$ ,  $R^2$  is  $-CH_3$ , Z is  $-CH_2C(O)$ -, m is 1, n is 1, and p is 1, then W, together with > CH and > C = X, does not form an 2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepin-2-one;
- G. when  $R^1$  is 2-phenylphenyl,  $R^2$  is  $-CH_3$ , Z is  $-CH_2C(O)$ -, m is 1, n is 1, and p is 1, then W, together with >CH and >C=X, does not form an 7-methyl-5,7-dihydro-6H-dibenz[b,d]azepin-6-one:
  - H. when  $R^1$  is  $CH_3OC(O)CH_2$ -,  $R^2$  is  $-CH_3$ , Z is  $-CH_2C(O)$ -, m is 1, n is 1, and p is 1, then W, together with >CH and >C=X, does not form an 2,3-dihydro-1-(t-butylC(O)CH<sub>2</sub>-)-5-(2-pyridyl)-1H-1,4-benzodiazepin-2-one;
  - I. when  $R^1$  is 4-ethoxyphenyl, 2,4,6-trimethylphenyl, 4-phenylphenyl,  $CH_3OC(O)CH_2$ -, 4-HOCH<sub>2</sub>-phenyl, 2,4,6-trifluorophenyl, 2-trifluoromethyl-4-fluorophenyl, or  $CH_3S$ -,  $R^2$  is - $CH_3$ , Z is - $CH_2C(O)$ -, m is 1, n is 1, and p is 1, then W, together with > CH and > C=X, does not form a 2,3-dihydro-1-(N,N-diethylamino- $CH_2CH^2$ -)-5-(2-pyridyl)-1H-1,4-benzodiazepin-2-one;
  - J. when  $R^1$  is 2,6-difluorophenyl,  $R^2$  is -CH<sub>3</sub>, Z is -CH(OH)C(O)-, m is 1, n is 1, and p is 1, then W, together with >CH and >C=X, does not form a 2,3-dihydro-1-(N,N-diethylamino-CH<sub>2</sub>CH<sup>2</sup>-)-5-(2-pyridyl)-1H-1,4-benzodiazepin-2-one,
- 30 K. when m is 1 and n is 1, then

10



15

does not equal cycloalkyl of from 3 to 8 carbon atoms optionally substituted with 1 to 3 alkyl groups.

20

Accordingly, in one of its method aspects, this invention is directed to a method for inhibiting  $\beta$ -amyloid peptide release and/or its synthesis in a cell which method comprises administering to such a cell an amount of a compound or a mixture of compounds of formula I above effective in inhibiting the cellular release and/or synthesis of  $\beta$ -amyloid peptide.

30

35

25

Because the *in vivo* generation of  $\beta$ -amyloid peptide is associated with the pathogenesis of AD<sup>8,9</sup>, the compounds of formula I can also be employed in conjunction with a pharmaceutical composition to prophylactically and/or therapeutically prevent and/or treat AD. Accordingly, in another of its method aspects, this invention is directed to a prophylactic method for preventing the onset of AD in a patient at risk for developing AD which method comprises administering to said patient a pharmaceutical composition comprising a pharmaceutically inert carrier and an effective amount of a compound or a mixture of compounds of formula I above.

In yet another of its method aspects, this invention is directed to a therapeutic method for treating a patient with AD in order to inhibit further deterioration in the condition of that patient which method comprises administering to said patient a pharmaceutical composition comprising a pharmaceutically inert carrier and an effective amount of a compound or a mixture of compounds of formula I above.

In formula I above, when m is zero (i.e., there is a covalent bond from  $R^1$  to NH),  $R^1$  is preferably aryl (including substituted aryl) or heteroaryl (including substituted heteroaryl). In this embodiment, further preferred  $R^1$  groups include

- (a) phenyl,
- (b) a substituted phenyl group of the formula:

15

20

10

5

25

30

35

wherein R<sup>c</sup> is selected from the group consisting of acyl, alkyl, alkoxy, alkylalkoxy, azido, cyano, halo, hydrogen, nitro, trihalomethyl, thioalkoxy, and wherein R<sup>b</sup> and R<sup>c</sup> are fused to form a heteroaryl or heterocyclic ring with the phenyl ring wherein the heteroaryl or heterocyclic ring contains from 3 to 8 atoms of which from 1 to 3 are heteroatoms independently selected from the group consisting of oxygen, nitrogen and sulfur

 $R^b$  and  $R^b$  are independently selected from the group consisting of hydrogen, halo, nitro, cyano, trihalomethyl, alkoxy, and thioalkoxy with the proviso that when  $R^c$  is hydrogen, then  $R^b$  and  $R^{b'}$  are either both hydrogen or both substituents other than hydrogen,

(c) 2-naphthyl,

20

25

30

- (d) 2-naphthyl substituted at the 4, 5, 6, 7 and/or 8 positions with 1 to 5 substituents selected from the group consisting alkyl, alkoxy, halo, cyano, nitro, trihalomethyl, thioalkoxy, aryl, and heteroaryl,
  - (e) heteroaryl, and
- (f) substituted heteroaryl containing 1 to 3 substituents selected from the group consisting of alkyl, alkoxy, aryl, aryloxy, cyano, halo, nitro, heteroaryl, thioalkoxy, thioaryloxy provided that said substituents are not *ortho* to the heteroaryl attachment to the -NH group.
- When *m* is zero, particularly preferred substituted phenyl R¹ groups include mono-, di- and tri-substituted phenyl groups including 3,5-disubstituted phenyls such as 3,5-dichlorophenyl, 3,5-difluorophenyl, 3,5-di(trifluoromethyl)-phenyl, etc.; 3,4-disubstituted phenyls such as 3,4-dichlorophenyl, 3,4-difluorophenyl, 3-(trifluoromethyl)-4-chlorophenyl, 3-chloro-4-cyanophenyl, 3-chloro-4-iodophenyl, 3,4-methylenedioxyphenyl, etc.; 4-substituted phenyls such as 4-azidophenyl, 4-bromophenyl, 4-chlorophenyl, 4-cyanophenyl, 4-ethylphenyl, 4-fluorophenyl, 4-iodophenyl, 4-(phenylcarbonyl)phenyl, 4-(1-ethoxy)ethylphenyl, etc., 3,4,5-trisubsituted phenyls such as 3,4,5-trifluorophenyl, 3,4,5-trichlorophenyl, etc.

Specific  $R^1$  groups for when m is zero include 3,4-dichlorophenyl, 4-phenylfurazan-3-yl, and the like.

When m is zero, other preferred  $R^1$  substituents include, by way of example, 2-naphthyl, quinolin-3-yl, 2-methylquinolin-6-yl, benzothiazol-6-yl, 5-indolyl, phenyl, and the like.

When m is one, preferred  $R^1$  groups include unsubstituted aryl groups such as phenyl, 1-naphthyl, 2-naphthyl, etc.; substituted aryl groups such as monosubstituted phenyls (preferably substituents at 3 or 5 positions); disubstituted phenyls (preferably substituents at 3 and 5 positions); and

trisubstituted phenyls (preferably substituents at the 3,4,5 positions). Preferably, the substituted phenyl groups do not include more than 3 substituents. Examples of substituted phenyls include, for instance, 2-chlorophenyl, 2-fluorophenyl, 2-bromophenyl, 2-hydroxyphenyl, 2-5 nitrophenyl, 2-methylphenyl, 2-methoxyphenyl, 2-phenoxyphenyl, 2trifluoromethylphenyl, 4-fluorophenyl, 4-chlorophenyl, 4-bromophenyl, 4nitrophenyl, 4-methylphenyl, 4-hydroxyphenyl, 4-methoxyphenyl, 4ethoxyphenyl, 4-butoxyphenyl, 4-iso-propylphenyl, 4-phenoxyphenyl, 4trifluoromethylphenyl, 4-hydroxymethylphenyl, 3-methoxyphenyl, 3-10 hydroxyphenyl, 3-nitrophenyl, 3-fluorophenyl, 3-chlorophenyl, 3-bromophenyl, 3-phenoxyphenyl, 3-thiomethoxyphenyl, 3-methylphenyl, 3trifluoromethylphenyl, 2,3-dichlorophenyl, 2,3-difluorophenyl, 2,4dichlorophenyl, 2,5-dimethoxyphenyl, 3,4-dichlorophenyl, 3,4-difluorophenyl, 3.4-methylenedioxyphenyl, 3.4-dimethoxyphenyl, 3.5-difluorophenyl, 3.5-15 dichlorophenyl, 3,5-di-(trifluoromethyl)phenyl, 3,5-dimethoxyphenyl, 2,4dichlorophenyl, 2,4-difluorophenyl, 2,6-difluorophenyl, 3,4,5-trifluorophenyl, 3,4,5-trimethoxyphenyl, 3,4,5-tri-(trifluoromethyl)phenyl, 2,4,6-trifluorophenyl, 2,4,6-trimethylphenyl, 2,4,6-tri-(trifluoromethyl)phenyl, 2,3,5-trifluorophenyl, 2,4,5-trifluorophenyl, 2,5-difluorophenyl, 2-fluoro-3-trifluoromethylphenyl, 20 4-fluoro-2-trifluoromethylphenyl, 2-fluoro-4-trifluoromethylphenyl, 4benzyloxyphenyl, 2-chloro-6-fluorophenyl, 2-fluoro-6-chlorophenyl, 2,3,4,5,6pentafluorophenyl, 2,5-dimethylphenyl, 4-phenylphenyl, 2-fluoro-3trifluoromethylphenyl,

When *m* is one, other preferred R<sup>1</sup> groups include, by way of example, adamantyl, benzyl, 2-phenylethyl, 3-phenyl-*n*-propyl, 4-phenyl-*n*-butyl, methyl, ethyl, *n*-propyl, *iso*-propyl, *iso*-butyl, *sec*-butyl, *tert*-butyl, *n*-pentyl, *iso*-valeryl, *n*-hexyl, cyclopropyl, cyclobutyl, cyclohexyl, cyclopentyl, cyclopent-1-enyl, cyclopent-2-enyl, cyclohex-1-enyl, -CH<sub>2</sub>-cyclopropyl, -CH<sub>2</sub>-cyclobutyl, -CH<sub>2</sub>-cyclobutyl, 30 cyclohexyl, -CH<sub>2</sub>-cyclopentyl, -CH<sub>2</sub>-cyclopropyl, -CH<sub>2</sub>-cyclobutyl,


- -CH<sub>2</sub>CH<sub>2</sub>-cyclohexyl, -CH<sub>2</sub>CH<sub>2</sub>-cyclopentyl, pyrid-2-yl, pyrid-3-yl, pyrid-4-yl, fluoropyridyls (including 5-fluoropyrid-3-yl), chloropyridyls (including 5-chloropyrid-3-yl), thien-2-yl, thien-3-yl, benzothiazol-4-yl, 2-phenylbenzoxazol-5-yl, furan-2-yl, benzofuran-2-yl, thionaphthen-3-yl, thionaphthen-3-yl, thionaphthen-4-yl, 2-chlorothiophen-5-yl, 3-methylisoxazol-5-yl,
- thionaphthen-4-yl, 2-chlorothiophen-5-yl, 3-methylisoxazol-5-yl, 2-(thiophenyl)thien-5-yl, 6-methoxythionaphthen-2-yl, 3-phenyl-1,2,4-thiooxadiazol-5-yl, 2-phenyloxazol-4-yl, indol-3-yl, 1-phenyl-tetraol-5-yl, allyl, 2-(cyclohexyl)ethyl,  $(CH_3)_2CH=CHCH_2CH_2CH(CH_3)$ -,  $\phi C(O)CH_2$ -, thien-2-yl-methyl, 2-(thien-2-yl)ethyl, 3-(thien-2-yl)-n-propyl, 2-(4-nitrophenyl)ethyl, 2-(4-nitrophe
- methoxyphenyl)ethyl, norboran-2-yl, (4-methoxyphenyl)methyl, (2-methoxyphenyl)methyl, (3-methoxyphenyl)methyl, (3-hydroxyphenyl)methyl, (4-hydroxyphenyl)methyl, (4-methoxyphenyl)methyl, (4-methylphenyl)methyl, (4-fluorophenyl)methyl, (2,4-dichlorophenoxy)ethyl, (4-chlorophenyl)methyl, (2-chlorophenyl)methyl, (1-phenyl)ethyl, (1-(p-
- chlorophenyl)ethyl, (1-trifluoromethyl)ethyl, (4-methoxyphenyl)ethyl, CH<sub>3</sub>OC(O)CH<sub>2</sub>-, benzylthiomethyl, 5-(methoxycarbonyl)-*n*-pentyl, 3- (methoxycarbonyl)-*n*-propyl, indan-2-yl, (2-methylbenzofuran-3-yl), methoxymethyl, CH<sub>3</sub>CH=CH-, CH<sub>3</sub>CH<sub>2</sub>CH=CH-, (4-chlorophenyl)C(O)CH<sub>2</sub>-, (4-fluorophenyl)C(O)CH<sub>2</sub>-, (4-methoxyphenyl)C(O)CH<sub>2</sub>-, 4-(fluorophenyl)-
- NHC(O)CH<sub>2</sub>-, 1-phenyl-*n*-butyl, (φ)<sub>2</sub>CHNHC(O)CH<sub>2</sub>CH<sub>2</sub>-, (CH<sub>3</sub>)<sub>2</sub>NC(O)CH<sub>2</sub>-, (φ)<sub>2</sub>CHNHC(O)CH<sub>2</sub>CH<sub>2</sub>-, methylcarbonylmethyl, (2,4-dimethylphenyl)C(O)CH<sub>2</sub>-, 4-methoxyphenyl-C(O)CH<sub>2</sub>-, phenyl-C(O)CH<sub>2</sub>-, CH<sub>3</sub>C(O)N(φ)-, ethenyl, methylthiomethyl, (CH<sub>3</sub>)<sub>3</sub>CNHC(O)CH<sub>2</sub>-, 4-fluorophenyl-C(O)CH<sub>2</sub>-, diphenylmethyl, phenoxymethyl, 3,4-
- 25 methylenedioxyphenyl- $CH_2$ -, benzo[b]thiophen-3-yl,  $(CH_3)_3COC(O)NHCH_2$ -, trans-styryl,  $H_2NC(O)CH_2CH_2$ -, 2-trifluoromethylphenyl- $C(O)CH_2$ ,  $\phi C(O)NHCH(\phi)CH_2$ -, mesityl,  $CH_3CH(=NHOH)CH_2$ -, 4- $CH_3$ - $\phi$   $NHC(O)CH_2CH_2$ -,  $\phi C(O)CH(\phi)CH_2$ -,  $(CH_3)_2CHC(O)NHCH(\phi)$ -,  $CH_3CH_2OCH_2$ -,  $CH_3OC(O)CH(CH_3)(CH_2)_3$ -, 2,2,2-trifluoroethyl, 1-
- 30 (trifluoromethyl)ethyl, 2-CH<sub>3</sub>-benzofuran-3-yl, 2-(2,4-dichlorophenoxy)ethyl,  $\phi$ SO<sub>2</sub>CH<sub>2</sub>-, 3-cyclohexyl-*n*-propyl, CF<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>- and N-pyrrolidinyl.


Still other preferred R<sup>1</sup> groups include those set forth in the Tables below.


When n is one or two, each  $R^2$  is preferably (and independently for n = 2) selected from the group consisting of alkyl, substituted alkyl, alkenyl, cycloalkyl, aryl, heteroaryl and heterocyclic.


Particularly preferred R<sup>2</sup> substituents include, by way of example, methyl, ethyl, n-propyl, iso-propyl, n-butyl, iso-butyl, sec-butyl, tert-butyl, 10  $-CH_2CH(CH_2CH_3)_2$ , 2-methyl-n-butyl, 6-fluoro-n-hexyl, phenyl, benzyl, cyclohexyl, cyclopentyl, cycloheptyl, allyl, iso-but-2-enyl, 3-methylpentyl, -CH<sub>2</sub>-cyclopropyl, -CH<sub>2</sub>-cyclohexyl, -CH<sub>2</sub>CH<sub>2</sub>-cyclopropyl,  $-CH_2CH_2$ -cyclohexyl,  $-CH_2$ -indol-3-yl, p-(phenyl)phenyl, o-fluorophenyl, *m*-fluorophenyl, *p*-fluorophenyl, *m*-methoxyphenyl, *p*-methoxyphenyl, 15 phenethyl, benzyl, m-hydroxybenzyl, p-hydroxybenzyl, p-nitrobenzyl, m-trifluoromethylphenyl, p-(CH<sub>3</sub>)<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>O-benzyl, p-(CH<sub>3</sub>)<sub>3</sub>COC(O)CH<sub>2</sub>O-benzyl, p-(HOOCCH<sub>2</sub>O)-benzyl, 2-aminopyrid-6-yl, p-(N-morpholino-CH<sub>2</sub>CH<sub>2</sub>O)-benzyl, -CH<sub>2</sub>CH<sub>2</sub>C(O)NH<sub>2</sub>, -CH<sub>2</sub>-imidazol-4-yl, -CH<sub>2</sub>-(3-tetrahydrofuranyl), -CH<sub>2</sub>-thiophen-2-yl, -CH<sub>2</sub>(1-methyl)cyclopropyl, 20 -CH<sub>2</sub>-thiophen-3-yl, thiophen-3-yl, thiophen-2-yl, -CH<sub>2</sub>-C(O)O-t-butyl, -CH<sub>2</sub>- $C(CH_3)_3$ ,  $-CH_2CH(CH_2CH_3)_2$ , -2-methylcyclopentyl, -cyclohex-2-enyl.  $-CH[CH(CH_3)_2]COOCH_3$ ,  $-CH_2CH_2N(CH_3)_2$ ,  $-CH_2C(CH_3)=CH_2$ , -CH<sub>2</sub>CH=CHCH<sub>3</sub> (cis and trans), -CH<sub>2</sub>OH, -CH(OH)CH<sub>3</sub>, -CH(O-t-butyl)CH<sub>3</sub>, -CH<sub>2</sub>OCH<sub>3</sub>, -(CH<sub>2</sub>)<sub>4</sub>NH-Boc, -(CH<sub>2</sub>)<sub>4</sub>NH<sub>2</sub>, -CH<sub>2</sub>-pyridyl (e.g., 2-pyridyl, 3-**25** . pyridyl and 4-pyridyl), pyridyl (2-pyridyl, 3-pyridyl and 4-pyridyl), -CH<sub>2</sub>naphthyl (e.g., 1-naphthyl and 2-naphthyl), -CH<sub>2</sub>-(N-morpholino), p-(Nmorpholino-CH<sub>2</sub>CH<sub>2</sub>O)-benzyl, benzo[b]thiophen-2-yl, 5chlorobenzo[b]thiophen-2-yl, 4,5,6,7-tetrahydrobenzo[b]thiophen-2-yl, benzo[b]thiophen-3-yl, 5-chlorobenzo[b]thiophen-3-yl, benzo[b]thiophen-5-yl, 6-30 methoxynaphth-2-yl, -CH<sub>2</sub>CH<sub>2</sub>SCH<sub>3</sub>, thien-2-yl, thien-3-yl, and the like.


Compounds of this invention include, by way of example. 1-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)-aminodibenzosuberane 5 1-(R)-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)-amino-2-(S)-indanol 1-(S)-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)-amino-2-(R)-indanol 1-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)-amino-2-indanol 10 2-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)-amino-1-cyclohexanol 1-(R,S)-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)-amino-1,2,3,4tetrahydro-2-naphthol 15 1-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)-aminobenz[f]cycloheptan-2ol 5-[N'-(3,5-difluorophenylacetyl)-L-alaninyl]amino-5,7-dihydro-6H-20 dibenzo[a,c]cyclohepten-6-ol 1-(S)-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)-aminoindan-2-one 2-(N'-(phenylacetyl)-L-alaninyl)aminocyclohexan-1-one 25 5-[N'-(3,5-difluorophenylacetyl)-L-alaninyl]amino-5,7-dihydro-6Hdibenzo[a,c]cyclohepten-6-one  $\cdot$  3-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)-amino- $\gamma$ -butyrolactone 30 3-(N'-(3,4-dichlorophenyl)-L-alaninyl)amino-γ-butyrolactone 4-(N'-(cyclopentylacetyl)-L-alaninyl)amino-1, 1-dimethyl-3isochromanone 35 4-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)amino-1,1-dimethyl-3isochromanone  $3-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)amino-\gamma-butyrolactam$ 40 3-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)amino-δ-valerolactam 1-benzyl-3-(S)-(N'-(3,5-difluorophenylacetyl)-L-alaninyl)-amino- $\delta$ valerolactam 45  $3-N'-(3,5-difluorophenylacetyl)-L-alaninyl)amino-4-methyl-\epsilon-caprolactam$ 














	3-(N'-(4-phenoxyphenylacetyl)-L-alaninyl)amino-2,3-dihydro-1-methyl-5 phenyl-1H-1,4-benzodiazepin-2-one
5	3-(N'-(4-ethoxyphenylacetyl)-L-alaninyl) amino-2, 3-dihydro-1-methyl-5-phenyl-1H-1, 4-benzodiazepin-2-one
	3-(N'-(2,5-dimethoxyphenylacetyl)-L-alaninyl)amino-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepin-2-one
10	3-(N'-(3,5-difluorobenzoyl)-L-alaninyl)amino-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepin-2-one
15	3-(N'-(o-tolylacetyl)-L-alaninyl)amino-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepin-2-one
13	3-(N'-(3,3-diphenylpropionyl)-L-alaninyl)amino-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepin-2-one
20	3-(N'-(3-phenoxypropionyl)-L-alaninyl)amino-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepin-2-one
	3-(N'-(indole-3-acetyl)-L-alaninyl)amino-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepin-2-one
25	3-(N'-(4-(trifluoromethyl)phenylacetyl)-L-alaninyl)amino-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepin-2-one
20	3-(N'-((4-methylphenoxy)acetyl)-L-alaninyl)amino-2,3-dihydro-1-methyl 5-phenyl-1H-1,4-benzodiazepin-2-one
30	3-(N'-(4-(hydroxymethyl)phenoxyacetyl)-L-alaninyl)amino-2, 3-dihydro-1-methyl-5-phenyl-1H-1, 4-benzodiazepin-2-one
35	3-(N'-(2-phenoxyphenylacetyl)-L-alaninyl)amino-2,3-dihydro-1-methyl-5 phenyl-1H-1,4-benzodiazepin-2-one



#### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup>: C07D 243/16, 243/24, 401/04, 223/18, A61K 31/55, C07D 409/12, 407/12, 401/14, 409/14, 217/24, <u>223/10,</u> 2<u>25/02,</u> 211/76, 207/273, 311/76, 307/22

A3

(11) International Publication Number:

WO 98/28268

(43) International Publication Date:

2 July 1998 (02.07.98)

(21) International Application Number:

PCT/US97/22986

(22) International Filing Date:

22 December 1997 (22.12.97)

(30) Priority Data:

08/780,025

23 December 1996 (23.12.96) US

(63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application

US

08/780,025 (CON)

Filed on

23 December 1996 (23.12.96)

(71) Applicants (for all designated States except US): ATHENA NEUROSCIENCES, INC. [US/US]; 800 Gateway Boulevard, South San Francisco, CA 94080 (US). ELI LILLY & COMPANY [US/US]; Lilly Corporate Center, Indianapolis, IN 46285 (US).

(72) Inventors: and

(75) Inventors/Applicants (for US only): WU, Jing [CN/US]; Apartment 502, 10 De Sabla Road, San Mateo, CA 94402 (US). TUNG, Jay, S. [US/US]; 2224 Semeria Avenue, Belmont, CA 94002 (US). THORSETT, Eugene, D. [US/US]; 571 Buena Vista Street, Moss Beach, CA 94038 (US). PLEISS, Michael, A. [US/US]; 848 Stella Court, Sunnyvale, CA 94087 (US). NISSEN, Jeffrey, S. [US/US]; 4348 Oil Creek Drive, Indianapolis, IN 46268 (US). NEITZ, Jeffrey [US/US]; Apartment 102, 3215 Clement Street, San Francisco, CA 94121 (US). LATIMER, Lee, H. [US/US]: 56 Sheridan Road, Oakland, CA 94618 (US). JOHN, Varghese [US/US]; 1722 18th Avenue, San Francisco, CA 94122

(US). FREEDMAN, Stephen [GB/US]; 2189 Ridgepoint Court, Walnut Creek, CA 94596 (US). BRITTON, Thomas, C. [US/US]; 4700 Royal Oak Lane, Carmel, IN 46033 (US). AUDIA, James, E. [US/US]; 6449 Lakeside Woods Circle, Indianapolis, IN 46278 (US). REEL, Jon, K. [US/US]; 14701 Alsong Court, Carmel, IN 46032 (US). MABRY, Thomas, E. [US/US]; 8104 Hi-Vu Drive, Indianapolis, IN 46227 (US). DRESSMAN, Bruce, A. [US/US]; 1430 N. New Jersey, Indianapolis, IN 46202 (US). CWI, Cynthia, L. [US/US]; 8918 Carriage Lane, Indianapolis, IN 46256 (US). DROSTE, James, J. [US/US]; 7430 Wood Stream Drive, Indianapolis, IN 46254 (US). HENRY, Steven, S. [US/US]; 3362 South Southway Drive, New Palestine, IN 46163 (US). MCDANIEL, Stacey, L. [US/US]; 4136 Heritage Way, Bloomington, IN 47403 (US). SCOTT, William, Leonard [US/US]; 144 Buckingham Drive, Indianapolis, IN 46208 (US). STUCKY, Russell, D. [US/US]; 6045 Barth Avenue, Indianapolis, IN 46227 (US). PORTER, Warren, J. [US/US]; 8037 Lieber Road, Indianapolis, IN 46260 (US).

- (74) Agents: SWISS, Gerald, F. et al.; Burns, Doane, Swecker & Mathis, L.L.P., P.O. Box 1404, Alexandria, VA 22313-1404 (US).
- (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

#### Published

With international search report.

(88) Date of publication of the international search report: 8 October 1998 (08.10.98)

(54) Title: CYCLOALKYL, LACTAM, LACTONE AND RELATED COMPOUNDS AS β-AMYLOID PEPTIDE RELEASE **INHIBITORS** 

$$R_1 + Z \xrightarrow{m} NH + Y \xrightarrow{n} C(H)_p$$
 $C$ 
 $X$ 

#### (57) Abstract

Disclosed are compounds for Formula (I) wherein the substituents are as defined in the claims which inhibit \(\beta\)-amyloid peptide release and/or its synthesis, and, accordingly, have utility in treating Alzheimer's disease. Also disclosed are pharmaceutical compositions comprising a compound which inhibits β-amyloid peptide release and/or its synthesis as well as methods for treating Alzheimer's disease both prophylactically and therapeutically with such pharmaceutical compositions.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	Prance	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JР	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		•
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	Ц	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

# INTERNATIONAL SEARCH REPORT

PCT Application No 97/22986

A CLASSIFICATION OF SUBJECT MATTER
IPC 6 C07D243/16 C07D243/24 C07D401/04 C07D223/18 A61K31/55 C07D409/14 C07D217/24 C07D407/12 C07D401/14 C07D409/12 C07D207/273 C07D311/76 C07D223/10 C07D225/02 C07D211/76 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) C07D A61K IPC 6 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No. Citation of document, with indication, where appropriate, of the relevant passages WO 97 30072 A (THE GOVERNMENT OF THE 32-90 P.Y UNITED STATES OF AMERICA)) 21 August 1997 see page 5, line 4 - page 5, line 7; claims 1,29,30 32-90 EP 0 652 009 A (ELI LILLY AND COMPANY & Y ATHENA NEUROSCIENCES, INC.) 10 May 1995 see page 3, line 23 - page 3, line 30; claims 1.3 32-90 EP 0 677 517 A (ELI LILLY AND COMPANY) 18 October 1995 see claims 1.8 32-90 WO 95 25118 A (TRUSTEES OF TUFTS A UNIVERSITY) 21 September 1995 see claim 1 -/--Patent family members are listed in annex. Further documents are listed in the continuation of box C. X Special categories of cited documents : "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance invention "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered rovel or carnot be considered to involve an inventive step when the document is taken alone filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-ments, such combination being obvious to a person skilled "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but "&" document member of the same patent family later than the priority date claimed Date of mailing of the international search report Date of the actual completion of the international search 1 0.07.98 8 June 1998 **Authorized offices** Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Herz. C

Fax: (+31-70) 340-3016

2

A CLASSIF	ication of subject matter C07D307/22		z.
	·		
According to	International Patent Classification (IPC) or to both national classifica	ation and IPC	
B. FIELDS	SEARCHED		
Minimum do	currentation searched (classification system followed by classification	on symbols)	
Dogumentet	ion searched other than minimum documentation to the extent that s	uch documents are included in the fields sea	rohad
Electronio di	ata base consulted during the international search (name of data ba	se and, where practical, search terms used)	
C. DOCUME	ENTR CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the rela	evant passages	Relevant to claim No.
Х	FR 2 278 335 A (FUJISAWA PHARMAC	EUTICAL	32,34, 35,40,
	CO., LTD.) 13 February 1976		41,43,
			45,46,
			61,63, 65,69,
		·	70,72,
	4.5		74,75
	* Examples * see claims 1-4		
ļ			
İ			
ļ			
Furl	ther documents are listed in the continuation of box C.	X Patent family members are listed	in annex.
* Special or	stegories of cited documents :	"T" later document published after the inte	rnational filing date
"A" docum	ent defining the general state of the art which is not dered to be of particular relevance	or priority date and not in conflict with cited to understand the principle or th invention	
•	document but published on or after the international	"X" document of particular relevance; the cannot be considered novel or canno	
"L" doourn	ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another	involve an inventive step when the do	cument is taken alone
oitatio	on or other special reason (as specified) nent referring to an oral disclosure, use, exhibition or	cannot be considered to involve an in document is combined with one or m	ventive step when the
other	means	ments, such combination being obvious in the art.	
	rent published prior to the international filing date but than the priority date claimed	*&* document member of the same patent	family
Date of the	actual completion of the international search	Date of mailing of the international sec	arch report
,	8 June 1998	10,000	
	mailing address of the ISA	Authorized officer	
Ditta erraser	European Patent Office, P.B. 5818 Patentiaan 2		
	NL - 2280 HV Rÿswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Herz, C	



Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of Irst sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X Claims Nos.: 1-31 because they relate to subject matter not required to be searched by this Authority, namely:
Claims 1 to 31 are directed to a therapeutical method performed on humans. Under the terms of Rule 39.1 (iv) PCT, the International Searching Authority is not required to carry a search on such claims.
2. X Claims Nos.:  because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
see FURTHER INFORMATION sheet PCT/ISA/210
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest  The additional search fees were accompanied by the applicant's protest.  No protest accompanied the payment of additional search fees.

#### FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Claims Nos.: 32-90(part)

The definition of substituents R(1) and W is too general and/or encompasses too broad a range of totally different chemical entities, only partly supported by examples given in the descriptive part of the application. The vast number of theoretically conceivable compounds resulting from the combination of all claimed substituents precludes a comprehensive search. Also, in view of the large number of compounds, which are defined by the general definition in the independent claims, the search had to be restricted for economic reasons. The search was limited to the compounds for which pharmacological data was given and/or the compounds mentioned in the claims, and to the general idea underlying the application. (see Guidelines, Chapter III, paragraph 2.3).

# INTERNATIONAL SEARCH REPORT

rmation on patent family members

PC1 97/22986

Patent document cited in search rep		Publication date	Patent fam member(s		Publication date
WO 9730072	Α	21-08-1997	AU 213	6897 A	02-09-1997
EP 652009	Α	10-05-1995		7094 A 9689 A	16-02-1995 10 <b>-</b> 02-1995
				9049 A	10-02-1995
				1841 A	15-03-1995
				5606 A	27-06-1995
				2883 A	10-02-1995
				4143 A	26-11-1996
				5719 A	01-02-1996
EP 677517	Α	18-10-1995		4385 A	17-09-1995
				8235 A	09-10-1995
			US 574	7517 A 	05-05-1998
WO 9525118	A	21-09-1995	US 558	0979 A	03-12-1996
FR 2278335	Α	13-02-1976	JP 5107	5056 A	29-06-1976
				7875 A	06-01-1977
				0934 A	02-01-1976
				9445 A	15-06-1977
				8161 A	15-07-1980 08-04-1976
				9941 A 7079 A	07-07-1977
Î				7079 A 0579 A	26-06-1979
				2375 A	05-01-1976
				1949 A	05-01-1976
				5212 A	15-07-1977
,				9495 A	26-07-1978
				3931 A	28-08-1980
				8008 A	06-01-1976
				3973 A	20-06-1977
				8799 B	25-07-1983
				5034 B	11-02-1980
				5133 B	08-11-1979
				3108 A	25-09-1979 19-04-1979
				3460 A 3504 A	20-04-1979
				4306 A	25-05-1977
				9514 B	10-11-1980
I					

# INTERNATIONAL SEARCH REPORT

nation on patent family members

PCT Application No

Patent document cited in search report  FR 2278335 A	Publication date	Pat m	ent family ember(s) 637924 A	Publication date 31-08-1983
		СН	637924 A	31-08-1983
				·
	•			